



G5 White Nitrile Gloves, 10" Ambidextrous

Codes: 56863, 56864, 56865, 56866, 56867, 56868

Product Information

Froduct information					
Code	Size	Palm Width*(mm)	Length* (mm)	Quantity	
56863	XS	74	255	100 gloves/bag; 10 bags/case	
56864	S	84	255	100 gloves/bag; 10 bags/case	
56865	М	96	255	100 gloves/bag; 10 bags/case	
56866	L	111	255	100 gloves/bag; 10 bags/case	
56867	L+	116	255	100 gloves/bag; 10 bags/case	
56868	XL	123	255	100 gloves/bag; 10 bags/case	



^{*}As measured by ASTM D 6319; 2.5 AQL1

Property	Description
General Description	White Nitrile powder free, cleanroom gloves, straight finger, ambidextrous mold with non-slip/textured finish at fingertip,
	beaded cuff, 10" nominal length, double chlorinated, laundered, bulk or pair packed.

Physical Property	Unit	Upper Limit	Test Method (1.5 AQL)
Watertightness	NA	Pass	ASTM D 5151
Particulate Level	#/cm²	950	IEST-RP-CC005
≥0.5 microns			

Thickness	Nominal	Nominal	Test Method (2.5 AQL)
Middle Finger	6.30 mil	0.16 mm	ASTM D 6319
Palm	5.12 mil	0.13 mm	ASTM D 6319
Cuff	3.94 mil	0.10 mm	ASTM D 6319

Property	Tensile Strength	Ultimate Elongation	Median Force at Break
Before Aging	14.0 Mpa	500%	5.2 Newtons
After Aging	14.0 Mpa	400%	3.5 Newtons
Test Method (2.5 AQL)	ASTM D 412	ASTM D 412	EN 455-2
	ASTM D 573	ASTM D 573	
	ASTM D 6319	ASTM D 6319	

¹ AQL levels defined according to ISO 2859-1 (current edition) Sampling Procedures for Inspection by Attributes.

Workmanship Requirement: Gloves shall be made in accordance with reasonable industry practice with respect to defects, dirt and contamination. Gloves should be packaged as specified having described size and color in the appropriate quantity as listed. Shipping Case and inner packaging shall be labeled with product name, size, lot/batch and catalog number.

For additional information: 1-800-255-6401 or kimtech@kcc.com



Rev: Dec 2013